

## FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 2024

Certificate only valid if verified on website – [www.ifccertification.com](http://www.ifccertification.com)

Issued by IFC Certification Ltd, part of the Kiwa UK Group

This is to certify that

### Wood International Agency Limited

Wood House  
King Edward Road  
Brentwood  
Essex  
CM14 4HL  
Tel: 01277 232991

Who supply door blanks for the manufacture of the following fire doors & doorsets:

**Marksman 44 FD30**  
**Marksman 54 FD60**


manufactured at site: **JJ-3**, has satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.8. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of their Factory Production Control, continuing surveillance audits, and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** is detailed on page 2 of this certificate.

Initial Certification: 21 May 2025  
Valid to: 21 May 2030  
Issue number: 1

David Mowatt  
Head of IFC Certification /  
Kiwa Group Limited

*This certificate consists of 2 pages.  
Publication of this certificate is permitted.*





The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Marksman 44	FD30	WF546313
Marksman 54	FD60	CFR2405291 (LH Specimen)

Signed on behalf of Kiwa UK

David Mowatt  
Head of IFC Certification /  
Kiwa Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder’s responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.

CERTIFICATE

